

Square
EN10305-5



		Wall Thickness (mm)													
BxB (mm)	0,5	0,8	1	1,2	1,5	1,8	2	2,2	2,5	2,8	3	3,5	4	4,5	5
10 X 10															
12 X 12															
18 X 18															
19 X 19															
20 X 20															
25 X 25															
30 X 30															
35 X 35															
40 X 40															
50 X 50															

Rectangular
EN10305-5



		Wall Thickness (mm)													
HxB (mm)	0,5	0,8	1	1,2	1,5	1,8	2	2,2	2,5	2,8	3	3,5	4	4,5	5
20 X 10															
20 X 30															
20 X 35															
25 X 15															
30 X 15															
30 X 18															
30 X 20															
32 X 22															
35 X 20															
40 X 10															
40 X 15															
40 X 20															
40 X 25															
40 X 30															
50 X 20															
50 X 25															
50 X 30															
50 X 35															
50 X 40															
60 X 20															
60 X 30															
60 X 40															

Flat oval



		Wall Thickness (mm)													
HxB (mm)	0,5	0,8	1	1,2	1,5	1,8	2	2,2	2,5	2,8	3	3,5	4	4,5	5
30 X 15															
50 X 25															
50 X 30															

Elliptical



		Wall Thickness (mm)													
HxB (mm)	0,5	0,8	1	1,2	1,5	1,8	2	2,2	2,5	2,8	3	3,5	4	4,5	5
30 X 15															

ArcelorMittal
Tubular Products
24-26 Bd d'Avranches
L-1160 Luxembourg

Web site: tubular.arcelormittal.com
Technical hotline: constructube@arcelormittal.com

Our products are proposed with a large number of options, depending on mill:

- Grades: standard E195, E220, E235
- Surface finishing: variable depending on mill
- Length: standard 6 or 12 m, possibility to cut-to-length on request
- Possibility to remove inside weld
- Standard minimum quantity

For more details, please contact us.
Specific demands on request.

