

IASI

Range of product

EN10219

Cold Formed Welded Structural Hollow Sections of non-alloy and fine grain steels

SQUARE



B x B (mm)	Wall Thickness (mm)																											
	1,5	1,6	1,75	1,8	2	2,25	2,3	2,5	2,6	2,7	2,75	2,9	3	3,2	3,25	3,5	3,6	4	4,5	5	5,6	6	6,3	7	7,1	8	9	
15 x 15	■																											
20 x 20	■			■	■																							
25 x 25	■			■	■					■																		
30 x 30	■			■	■					■																		
40 x 40	■			■	■					■																		
50 x 50				■	■					■																		
60 x 60				■	■					■																		
70 x 70				■	■					■																		
80 x 80										■																		
90 x 90										■																		
100 x 100										■																		
120 x 120										■																		
140 x 140										■																		
150 x 150										■																		

RECTANGULAR



H x B (mm)	Wall Thickness (mm)																											
	1,5	1,6	1,75	1,8	2	2,25	2,3	2,5	2,6	2,7	2,75	2,9	3	3,2	3,25	3,5	3,6	4	4,5	5	5,6	6	6,3	7	7,1	8	9	
20 x 10																												
30 x 10	■			■	■																							
30 x 20	■			■	■																							
40 x 20	■			■	■					■																		
40 x 30	■			■	■					■																		
50 x 30	■			■	■					■																		
60 x 40				■	■					■																		
80 x 60				■	■					■																		
100 x 40										■																		
100 x 50										■																		
100 x 60										■																		
100 x 80										■																		
120 x 60										■																		
120 x 80										■																		
140 x 80										■																		
160 x 80										■																		
150x100										■																		
180x100										■																		
200x100										■																		

Our products are proposed with a large number of options, depending on mill:

- Grades: standard to high strength steels
- Surface finishing: black or painted
- Length: standard 6 or 12 m, possibility to cut-to-length on request
- Possibility to remove inside weld
- Standard minimum quantity

For more details, please contact us.
Specific demands on request.

ArcelorMittal Europe - Tubular Products
24-26 Bd d'Avranches
L-1160 Luxembourg

Web site: tubular.arcelormittal.com
Technical hotline: constructube@arcelormittal.com

IASI

Range of product

EN10255

Cold formed non-alloy steel tubes suitable for welding and threading

Ø (mm)	Wall Thickness (mm)																				
	1,8	2	2,1	2,25	2,3	2,5	2,6	2,9	3	3,2	3,6	3,7	4	4,5	5	5,4	5,6	6	6,3	7,1	8
1,0																					
2,0																					
3,0																					
4,0																					
5,0																					
6,0																					
12,0																					
17,2																					
21,0																					
21,3																					
26,9																					
27,0																					
31,8																					
33,7																					
34,0																					
38																					
42																					
42,4																					
44,5																					
48,0																					
48,3																					
51																					
57																					
60																					
60,3																					
63,5																					
70																					
73																					
76																					
76,1																					
82,5																					
88,9																					
101,6																					
112																					
114,3																					
133																					
139,7																					
141,3																					
159																					
168,3																					
193,7																					
212,0																					
219,1																					
312																					

Our products are proposed with a large number of options, depending on mill:

- Grades: standard to high strength steels
- Surface finishing: black or painted
- Length: standard 6 or 12 m, possibility to cut-to-length on request
- Possibility to remove inside weld
- Standard minimum quantity

For more details, please contact us.
Specific demands on request.

ArcelorMittal Europe - Tubular Products
24-26 Bd d'Avranches
L-1160 Luxembourg

Web site: tubular.arcelormittal.com
Technical hotline: constructube@arcelormittal.com

IASI

Range of product

EN10217

Cold formed welded steel tubes for pressure purposes

Ø (mm)	Wall Thickness (mm)																			
	1,8	2	2,1	2,3	2,5	2,6	2,9	3	3,2	3,6	3,7	4	4,5	5	5,4	5,6	6	6,3	7,1	8
1,0																				
2,0																				
3,0																				
4,0																				
5,0																				
6,0																				
12,0																				
17,2																				
21,3																				
26,9																				
31,8																				
33,7																				
34,0																				
38																				
42,4																				
44,5																				
48,3																				
51																				
57																				
60,3																				
63,5																				
70																				
73																				
76,1																				
82,5																				
88,9																				
101,6																				
108																				
112																				
114,3																				
133																				
139,7																				
141,3																				
159																				
168,3																				
193,7																				
212,0																				
219,1																				
312																				

Our products are proposed with a large number of options, depending on mill:

- Grades: standard to high strength steels
- Surface finishing: black or painted
- Length: standard 6 or 12 m, possibility to cut-to-length on request
- Possibility to remove inside weld
- Standard minimum quantity

For more details, please contact us. Specific demands on request.

ArcelorMittal Europe - Tubular Products
24-26 Bd d'Avranches
L-1160 Luxembourg

Web site: tubular.arcelormittal.com
Technical hotline: constructube@arcelormittal.com

IASI

Range of product

EN10305

Welded cold sized tubes for precision application

ROUND



EN10305-3

Ø (mm)	Wall Thickness (mm)		
	1,2	1,5	2,0
16,0			
22,0			
25,0			

EN10305-5

SQUARE



BxB (mm)	Wall Thickness (mm)
	1,5
20x20	

BxB (mm)	Wall Thickness (mm)
	2,0
25x25	

HxB (mm)	Wall Thickness (mm)
	1,5
30x30	

Our products are proposed with a large number of options, depending on mill:

- Grades: standard to high strength steels
- Surface finishing: black or painted
- Length: standard 6 or 12 m, possibility to cut-to-length on request
- Possibility to remove inside weld
- Standard minimum quantity

For more details, please contact us.
Specific demands on request.

ArcelorMittal Europe - Tubular Products
24-26 Bd d'Avranches
L-1160 Luxembourg

Web site: tubular.arcelormittal.com
Technical hotline: constructube@arcelormittal.com